

Transferring to post-partum:

1. Find your patient on the **L&D** unit list
2. Open chart
3. Go to **navigators**, pick **transfer**
4. Go to **order sets**, search **OB**
5. Choose **OB post-partum** orders
6. Open orders
7. Go to the bottom of the orders and **D/C all active orders**
8. Fill out **IP Transfer order**, transfer to **OB/GYN inpatient**
9. Review orders as necessary and sign
10. If you are not the patient's primary, go to your **in-basket** and send a **staff message** to the primary about how things went
11. Adjust the **problem list** if necessary

Please review the orders in this Order Set before signing. Information displayed in this report may not accurately reflect patient specific defaults applied when the Order Set is opened.

OB Post Partum Orders

Orders

Admission/Transfer/Discharge

IP TRANSFER ONCE, Starting today at 9:50 AM

Monitoring

Vital Signs BID
 Weight DAILY
 Intake and Output QSHIFT

Lines and Drains

Foley Catheter
 Straight Cath PRN for 2 occurrences

IVs

Saline Lock
 lactated ringers
 dextrose 5%-lactated ringers with oxytocin 20 units (PITOCIN) Intravenous, CONTINUOUS
 dextrose 5% lactated ringers. Add KCL. Start after oxytocin infusion finished. 125 mL/hr, Intravenous, CONTINUOUS

Notify Provider

Notify Provider W/Standard Vitals
 Notify Provider W/Other Vitals
 Notify Provider if vaginal bleeding greater than 1 pad/hr
 Notify Provider if pt unable to void x3 and foley placed

Treatments

Ice to Affected Area PRN
 Sitz Bath TID PRN

Diet/Nutrition

ADA Consistent Carb Definitions [URL: http://hcmcnet/document/ehr/ada_consistent_carb_diet_link.doc](http://hcmcnet/document/ehr/ada_consistent_carb_diet_link.doc)

Diet NPO
 Diet-Combo Clear Liquids
 Diet-Combo Regular
 Advance Diet as Tolerated

Activity Up ad lib**GI**

<input checked="" type="checkbox"/> bisacodyl suppository	10 mg, Rectal, DAILY PRN, Constipation, gas
<input checked="" type="checkbox"/> docusate	100 mg, Oral, BID
<input checked="" type="checkbox"/> senna	

Pain Management

<input checked="" type="checkbox"/> ibuprofen	600 mg, Oral, Q6H PRN, Mild Pain
<input checked="" type="checkbox"/> acetaminophen	325-650 mg, Oral, Q4H PRN, Mild Pain
<input checked="" type="checkbox"/> acetaminophen 300 mg - codeine 30 mg (TYLENOL #3)	1-2 Tab, Oral, Q4H PRN, Moderate Pain
<input checked="" type="checkbox"/> oxycodone 5 mg - acetaminophen 325 mg (PERCOCET)	1-2 Tab, Oral, Q4H PRN, Moderate Pain

Supplements

<input checked="" type="checkbox"/> prenatal vitamins	1 Tab, Oral, DAILY
<input checked="" type="checkbox"/> ferrous gluconate	324 mg, Oral, BID

Hypnotic

<input checked="" type="checkbox"/> zolpidem	5-10 mg, Oral, BEDTIME PRN, Sleep
--	-----------------------------------

Immunization

<input checked="" type="checkbox"/> Rubella Vaccine	
<input checked="" type="checkbox"/> Rhogam	1 mL, Intramuscular, ONE TIME for 1 dose

Laboratory

<input checked="" type="checkbox"/> Hemoglobin	ONCE, Starting 8/31/07
<input checked="" type="checkbox"/> TYPE & SCREEN PANEL	Panel
<input checked="" type="checkbox"/> BLOOD TYPING-ABO/RH	Routine, ONCE, Starting today at 9:50 AM
<input checked="" type="checkbox"/> ANTIBODY SCREEN	Routine, ONCE, Starting today at 9:50 AM

Consults Consult to Social Services